

DIAMOND BASES

Fully washdown stainless steel Diamond Bench Bases designed for use within the food industry.

Technical Specification



DESCRIPTION

Certified by NSF to NSF/ANSI Standard 3-A, the diamond BS bases are ideal for high capacity bench and floor applications in food environments.

The rugged diamond base design offers an easy to clean, IP69K, spider design which helps to transfer shock loads


and overloads away from the load cell, offering up to 150% overload protection.

Available in a range of sizes, capacities and base finishes from carbon steel for general use, to fully stainless steel NSF certified for food or outdoor applications.

SPECIFICATIONS

PHYSICAL

| | |
|------------------------------|---|
| Operating Application | Designed to operate in a wide range of applications from general use to meat, fish, poultry and dairy processing and dry food applications. |
| Load Cell | Fitted with IP69K fully stainless steel NTEP approved load cell. Supplied with a 6 wire 10 ft (3 meter) load cell cable. |
| Base Construction | Carbon steel bases – Carbon steel construction with a high grade powder paint finish understructure and shroud. Stainless steel bases – Easy to clean design. Certified by NSF to NSF/ANSI Standard 3-A. Full stainless steel design, constructed from a food-grade 304 fine brush base with a pickle and electro polish weigh pan ideal for food contact areas. |
| Operating Temperature | Compliance with legal for trade requirements -4° F to 140° F / -20° C to 60° C (industrial) 10 to 90% humidity |
| Excitation | Up to 15 VDC (Generated by the weight display) |
| Load Cell Output | 1 mV/V |
| Feet Adjustment | Captive thread food grade feet with up to ¼" (6mm) foot adjustment on stainless steel version. |
| Overload Protection | 150% |
| Corner Loading | 100% |
| IP Protection | IP69K |
| Approved Accuracy | 5000d NTEP approval |



Base construction

BS DIAMOND BASES *Technical Specification*


BASE CAPACITY/RESOLUTION

| | Base size | Resolution |
|----------------------------|---------------------------|---------------------------------|
| Carbon steel | 18" x 18" (460mm x 460mm) | 50 lb x 0.01 lb (25 x 0.005 kg) |
| | 20" x 20" (510mm x 510mm) | 100 lb x 0.02 lb (50 x 0.01 kg) |
| | 18" x 24" (460mm x 610mm) | 200 lb x 0.05 lb (100 x 0.2 kg) |
| | 24" x 24" (610mm x 610mm) | 100 lb x 0.02 lb (50 x 0.01 kg) |
| | | 100 lb x 0.02 lb (50 x 0.01 kg) |
| | | 200 lb x 0.05 lb (100 x 0.2 kg) |
| | | 500 lb x 0.1 lb (250 x 0.05 kg) |
| Stainless steel (IP69K) | 14" x 14" (360mm x 360mm) | 30 lb x 0.01 lb (15 x 0.002 kg) |
| | 18" x 18" (460mm x 460mm) | 50 lb x 0.01 lb (25 x 0.005 kg) |
| | 20" x 20" (510mm x 510mm) | 100 lb x 0.02 lb (50 x 0.01 kg) |
| | 18" x 24" (460mm x 610mm) | 200 lb x 0.05 lb (100 x 0.2 kg) |
| | 24" x 24" (610mm x 610mm) | 100 lb x 0.02 lb (50 x 0.01 kg) |
| | | 200 lb x 0.05 lb (100 x 0.2 kg) |
| | | 500 lb x 0.1 lb (250 x 0.05 kg) |

DIMENSIONS (inches)

| Base Size | a1 | a2 | b | c |
|-----------|----|----|-----|-----|
| 14" x 14" | 4" | 5" | 14" | 14" |
| 18" x 18" | 4" | 5" | 18" | 18" |
| 20" x 20" | 4" | 5" | 20" | 20" |
| 18" x 24" | 4" | 5" | 18" | 18" |
| 24" x 24" | 4" | 5" | 24" | 24" |

a1 = Carbon Steel a2 = Stainless Steel



DIMENSIONS (mm)

| Base Size | a1 | a2 | b | c |
|-----------|-----|-----|-----|-----|
| 14" x 14" | 100 | 125 | 360 | 360 |
| 18" x 18" | 100 | 125 | 460 | 460 |
| 20" x 20" | 100 | 125 | 510 | 510 |
| 18" x 24" | 100 | 125 | 460 | 610 |
| 24" x 24" | 100 | 125 | 610 | 610 |

a1 = Carbon Steel a2 = Stainless Steel

OPTIONS

- Options**
- Ball-top shroud – keep product moving. Reduce operator lifting and bending. (Not NSF approved)
 - Portable cart – makes scale portable, ideal when taking scale to the cleaning room. Constructed in stainless steel, with adjustable height.

APPROVALS

- Agencies**
- NTEP (US) Class 111/IIIL 5,000 d CC#88-104
 - AM (Measurement Canada) WA-3094
 - Certified by NSF to NSF/ANSI Standard 3-A 14159-1-2010 IP69K approved



Measurement
Canada Approved
WA-3094

Portable cart
option



Avery Weigh-Tronix

www.averyweigh-tronix.com

Avery Weigh-Tronix is an ITW company



Avery Weigh-Tronix is a trademark of the Illinois Tool Works group of companies whose ultimate parent company is Illinois Tool Works Inc ("Illinois Tool Works"). Copyright © 2015 Illinois Tool Works. All rights reserved. This publication is issued to provide outline information only and may not be regarded as a representation relating to the products or services concerned. This publication was correct at the time of going to print, however Avery Weigh-Tronix reserves the right to alter without notice the specification, design, price or conditions of supply of any product or service at any time.

V3
BSbases_spec_UK_500895.indd
AWT35-500895